

Cumba Double Fold Wrap

Sizes

xs (32-34")

s (36-38")

m (40-42")

l (44-46")

xl (48-50")

Yarn

- 6 (7, 8, 9, 10) balls of Cumba by ggh (42% wool, 28% alpaca, and 30% acrylic), 50g, 164yd/150m in color #014

Needles

- one US #8 (5.0mm) circular needle at least 32"
- one US #7 (4.5mm) circular needle at least 32"
or size needed to obtain gauge

Notions

- cable needle or hook
- stitch markers (2)
- needle for weaving in ends
- locking stitch markers or safety pins (approximately 20)

Finished Measurements

flat measurements (knit piece laid flat without sewn seams)

lower body

width: 34.5 (39.25, 43.75, 46.25, 50.75)"

height: 12.5 (14.25, 16.0, 17.5, 19.5)"

upper body/sleeves

width: 30 (34.5, 39.25, 41.5, 46.25)"

height: 9.75 (11.5, 13.0, 16.5, 18.25)"

sleeve length: 4.5 (4.5, 7.0, 7.0, 7.0)"

width across back from underarms: 20.75 (25.5, 25.5, 27.75, 32.25)"

Note: The width across the back is the most important measurement for the fit of the garment. This measurement should be greater than the actual measurement across the back between the underarms.

size shown: xs

Gauge

6.5 sts = 1" and 7 rows = 1" in cable stitch pattern

26 sts = 4" and 28" rows = 4" in cable stitch pattern

Cable Stitch Pattern (multiple of 15)

Row 1 (RS): knit

Row 2 (WS): purl

Row 3 (RS): k5, cable 5 back*

Row 4 (WS): purl

Row 5 (RS): knit

Row 6 (WS): purl

Row 7 (RS): knit

Row 8 (WS): purl

Row 9 (RS): cable 5 front**, k5

Row 10 (WS): purl

Row 11 (RS): knit

Row 12 (WS): purl

2x2 Rib Pattern

Row 1: *K2, P2, rep from * to last 2 sts, end K2.

Row 2: *P2, K2, rep from * to last 2 sts, end P2.

*cable 5 back: hold 5 stitches to back of work, knit 5 stitches, then knit 5 stitches held to back of work.

**cable 5 front: hold 5 sts to front of work, knit 5 stitches, then knit 5 stitches held to front of work.

Lower Body

CO on 226 (254, 286, 302, 330) sts with smaller needles.

Work in 2x2 rib for 4 rows.

Change to larger needles and begin cable stitch patt.

Size XS

Row 1: Dec 1 st evenly (225 sts).

Size S

Row 1: Inc 2 sts evenly (255 sts).

Size M

Row 1: Dec 1 st evenly (285 sts).

Size L

Row 1: Dec 2 sts evenly (300 sts).

Size XL

Row 1: Knit (330 sts).

Cont in cable stitch patt for 83 (95, 107, 119, 131) more rows ending after Row 12.
Piece should measure approximately 12.5 (14.25, 16.0, 17.5, 19.5)" from CO edge.

Upper Body/ Sleeves

Begin Sleeves

Row 1: BO 45 (45, 60, 60, 60) sts, work cable stitch patt over next 135 (165, 165, 180, 210) sts, BO off final 45 (45, 60, 60, 60) sts. Break yarn.

Row 2: CO 31 (31, 31, 46, 46) sts on right-handed needle. Turn work, p* across 30 (30, 30, 45, 45) sts, p2tog, p across final 134 (164, 164, 179, 209) sts. At end of row, CO on 31 (31, 31, 46, 46) sts on left-handed needle ending with 196 (226, 256, 271, 301) sts.

*Note: after turning work, p across sts just CO.

Row 3: K across 30 (30, 30, 45, 45) sts, k2tog, k4, cable 5 back, cont in cable stitch patt (k5, cable 5 back) over next 120 (150, 150, 165, 195) and then k remaining sts ending with 195 (225, 255, 270, 300) sts.

Cont in cable stitch patt over all sts until sleeves measures 8.0 (10.0, 11.5, 15.0, 16.75)" from CO edge of sleeve ending with Row 7.

Begin Collar

Row 8: P across 75 (90, 105, 105, 120) sts, pm, p across next 45 (45, 45, 60, 60) sts, pm and p across final 75 (90, 105, 105, 120) sts.

Row 9: Work in cable stitch patt across 1st 75 (90, 105, 105, 120) sts, work in St st over next 45 (45, 45, 45, 60, 60) sts, cont in cable stitch patt across final 75 (90, 105, 105, 120) sts.

Cont as established working center sts in St St and remaining sts in cable stitch patt for 11 rows or until collar measures approximately 1.5" in length ending with Row 8.

BO all sts.

Finishing

Collar

Lay piece flat so WS is facing up and RS is facing down. Fold over the St st portion of the collar, so the RS is facing out and WS is facing in toward WS of cable stitch patt. The folded portion should create a collar shape. Pin collar in place and using sew down the collar.

Sleeves


Fold sleeves in half and line up the CO and BO edges of the sleeves. Pin sleeves seams together.

Right and Left Front Seams

Pin the top edge of the lower body piece to the edge of the upper body piece between the sleeves and the collar.

Seam together all pinned edges using a mattress stitch. It is easiest to sew the front seams first so the pieces can be eased between the sleeves and collar if necessary. Sew sleeve seams last.

Weave in ends. Use a pin as desired to secure fronts.



Standard Abbreviations

BO: bind off
CO: cast on
cont: continue
dec: decrease
k: knit
k2tog: knit 2 sts together
m: marker
patt: pattern
pm: place marker
p: purl
p2tog: purl 2 sts together
rem: remaining
rep: repeat
RS: right side
st(s): stitch(es)
St st: Stockinette Stitch (knit one row, purl one row)
WS: wrong side